

## Appointment

---

**From:** Carvalho, Moises@DTSC [Moises.Carvalho@dtsc.ca.gov]  
**Sent:** 9/1/2017 9:08:46 PM  
**To:** Carvalho, Moises@DTSC [Moises.Carvalho@dtsc.ca.gov]; Waldman, Allen J. [Allen.Waldman@wsp.com]; Cepko, Russ P [Russ.Cepko@cbs.com]; Santos, Carmen [Santos.Carmen@epa.gov]  
**Subject:** Former Westinghouse Equipment Repair Facility - Operable Unit (OU 4)  
**Attachments:** Soil Sampling Locations with PCB Concentrations Above RSL Along Eastern Property Limits.pdf  
**Location:** Dial-in telephone number - (888) 390-3896 Access code - 19299  
**Start:** 9/8/2017 6:00:00 PM  
**End:** 9/8/2017 7:00:00 PM  
**Show Time As:** Busy

**Recurrence:** (none)

Dear all,

I would like to invite to participate in the teleconference that will be held on September 8, 2017, at 11:00 AM PST.

Dial-in Number: (888) 390-3896  
Access Code: 19299

The primary discussion topics will be the following:

- Determine the lateral extent of Operable Unit (OU) 4.
- TSCA requirements to characterize lateral and vertical extents of PCB remediation wastes that may present in the OU4.

Attached figure will be referred as a guidance for the discussion topics.

Thank you

Moises Carvalho, PG, MBA, PhD  
Hazardous Substances Engineer  
Department of Toxic Substances Control  
9211 Oakdale Ave  
Chatsworth, CA 91311  
(818) 717-6615